



WATER-ACTIVATED TAPES

For more than 100 years, IPG®'s water-activated tape product line has focused on innovative and technologically sound product developments.

We have led the packaging industry with unique advances in processing technology and development of patented adhesives. IPG is a pioneer in the manufacturing of reinforced carton-sealing tapes and the first die-coater of reinforced laminates.

MARKETS

- Aerospace
- Appliance

- Food Processing
- Transportation
- Fulfillment
- Automotive Aftermarket

888-898-7834 | itape.com

General Manufacturing

CRADLE TO CRADLE CERTIFIED® BRONZE

In support of our sustainability efforts, IPG is proud to announce our line of kraft Water-Activated Tape has achieved Cradle to Cradle Certified® Bronze level. The Cradle to Cradle Certified Product Standard is the world's most ambitious, actionable standard for designing and making products today in ways that enable a healthy, equitable and sustainable tomorrow. To receive certification, products are assessed for environmental and social performance across five critical sustainability categories: material health, product circularity, clean air and climate protection, water and soil stewardship, and social fairness.



Visit www.itape.com/c2c to learn more about IPG's participation in the Cradle to Cradle Certified® Products Program. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute.



f y in D 🖸

TABLE OF CONTENTS

4 PAPER TAPES

Sealing lightweight or standard sized packages or cartons that will be shipped in unitized loads or full pallets.



5 REINFORCED TAPES

Sealing overstuffed cartons, recycled cartons, non-unitized cartons, and heavyweight cartons.



7 PRINTED TAPES

Enhance product offerings to end-user, making their product standout from the competition.



9 BOX MAKER'S TAPE

Sealing manufacturer's joints or corrugated cartons in a boxmaking factory.



9 RED ALERT

Help prevent theft, pilferage, and contamination.

10 WAT DISPENSERS

Machines that can output water-activated tape faster and easier than ever before.



The Industry Leader in High Performance Water-Activated Tapes

Most pressure-sensitive tapes take time to develop a "destructive" bond when applied to a porous substrate surface. Water-activated tapes bond instantly to both virgin and recycled fiber (corrugated carton, paper, etc.) surfaces and therefore, generate an immediate destructive bond resulting in a tamper evident package.

Different situations call for different carton sealing systems. Intertape® brand water-activated tapes are specifically designed for each individual application. Our reinforced products are available in non-printed, stock prints and custom print grades. They all have one common feature...uncompromising quality.

ADVANTAGES

- Provides tamper-evident seal
- Difficult to remove without leaving obvious signs of tampering
- Easy to print on
- Retains integrity if punctured
- One strip produces a sturdy seal!
- Recyclable with the carton to which it is applied



PAPER TAPES

Designed for fast, permanent adhesion and superior strength. Cracking of the adhesive surface provides our paper tape with excellent flexibility for sealing carton corners, edges and irregular surfaces. Use Intertape® brand paper tapes to seal lightweight or standard sized packages or cartons that will be shipped in unitized loads or full pallets.

BENEFITS

- Aggressive Bond our starch-based adhesive aggressively bonds to corrugated cartons, even in dusty or dirty environments.
- Available in Various Colors & Patterns ideal for organizing your stock and rotating your inventory.
- **Custom Printing** advertise your company and products, provide directions for freight handlers and improve the appearance of your package.
- **Protection** a carton sealed with our paper tape can't be opened without leaving a broken seal.
- Certified Recyclable Our Water-Activated Paper Tape (unreinforced) has passed Western Michigan University OCC Equivalency testing protocol.
- Curbside Recyclable With the certification of our Water-Activated Paper Tape, IPG is pleased to supplement our Curby[™] line of products that now includes water-activated tape, paper void fill, cold chain solutions and fragile wrap.



passes WMU standard www.wmich.edu/pilotplants



STYLE	DESCRIPTION	GRADE	WIDTHS	PAPER WEIGHT	COLORS	ROLLS PER CASE	CASES PER PALLET
			inches	lbs			
Convoy Heavy	Recommended uses: Sealing medium weight cartons, including regular slotted containers, full overlap, telescope and others. As a dust seal or for in-plant use.	luding regular slotted containers, full overlap, escope and others. As a dust seal or for in-plant use.		78	Natural	2" - 375' - GSI-15 PACK	60
Duty	Carton sealing for unitized cartons (pallets). Paper splicing and food products packaging. Use when high strength or reinforced tape is not required.	ng for unitized cartons (pallets). Paper food products packaging. Use when high		Nuturu	3" - 375' - GSI-10 PACK	60	
	Recommended uses: Sealing lightweight cartons, including regular slotted containers, full overlap, telescope and others. As a dust seal or for in-plant use. Packing for food and textile industries, splicing of recycled webs, packing of unitized cartons (pallets).	Medium Duty	70mm 1½			70mm - 600' - GSI-10 PACK	60
Convoy					Natural White	1½" - 600' - GSI-20PACK	60
Medium			2	57 55		2" - 600' - GSI-14 PACK	60
Duty			21⁄2	55		2½" - 600' - GSI-12 PACK	60
			3			3" - 600' - GSI-10 PACK	60
Convoy			1	40	Natural	1" - 500' - GSO-30 PACK	63
Light Duty	Retail gift wrap stations. As a dust seal. Delicatessens, meat and produce packaging. To tape and hold assembly packaging.	Light Duty	11⁄2	35	White	11⁄2" - 500' - GSO-20 PACK	63

PAPER TAPES

All product grades available in other sizes upon request.

REINFORCED TAPES

Available in a wide variety of sizes and product construction, Intertape[®] brand reinforced tapes are designed to provide consistent performance in carton sealing applications where durability, extra strength and reliability are required. Extra strong fiberglass yarns are bonded between the high tensile strength sheets for an extra margin of strength.

BENEFITS

- Secure Bond testing proves our tape bonds faster than any competitor's of like construction.
- All Weather Use not affected by extreme hot or cold temperatures.
- Superior Strength fiberglass yarns seal your cartons with an extra measure of strength.
- Takes on the Dust our starch based adhesive absorbs dust and bonds securely to the carton. Sealing the seam also acts as a dust barrier.
- **Pilferage Proof** fiber will be irreparably damaged upon tape removal.
- Curbside Recyclable As part of our Curby line, the paper fibers in water activated tape are recycled when the corrugate carton they are applied to is recycled.



STYLE	DESCRIPTION	WIDTHS	TOP/BOTTOM PAPER WEIGHT	COLORS	BASIS REINFORCEMENT	ROLLS PER CASE	CASES PER
		inches	lbs/lbs				PALLET
Gorilla	Recommended uses: Two strip carton sealing (top & bottom), recycled cartons, non-unitized loads, light to heavyweight carton up to 90 lbs.	3	30/30	Natural	MD - (3-3-2-2-3-3) 75 fiberglass on 13mm spacing CD - 150 fiberglass on .55" spacing	3" - 400' - 10 PACK	60
Tru-Test	Recommended uses: Two strip carton				MD - (2-2-1-1-2-2) 75 fiberglass on	21⁄2" - 450' - 12 PACK	6060
	sealing (top & bottom), recycled cartons, non-unitized loads, average	2½ 3	25/30 25/30	Natural White	13mm spacing 3" - 375' - 8 PACK	3" - 375' - 8 PACK	60
	weight carton up to 65 lbs.	J	23/30	wille	CD - 150 fiberglass on .55" spacing	3" - 450' - 10 PACK	60
						21⁄2" - 450' - 12 PACK	60
Carton	Recommended uses: Two strip carton sealing (top & bottom), recycled	21⁄2	25/25	Natural	MD - (2-1-1-1-2) 75 fiberglass on 13mm spacing	D - (2-1-1-1-2) 75 fiberglass on 3" - 375' - 8 PACK	60
Master	cartons, non-unitized loads, average weight carton up to 55 lbs.	3	25/25	White	CD - 150 fiberglass on 1.10" spacing	3" - 450' - 10 PACK	63
					3" - 500' - 12 PACK	45	
	Recommended uses: Two strip carton				MD - (1-1-1-1) 75 fiberglass on 13mm	70mm - 114m - 8 PACK	84
Classic	sealing (top & bottom), recycled cartons, non-unitized loads, light to	70mm 76mm	23/23 25/23	Natural White	spacing	70mm - 137m - 10 PACK	63
	average weight carton up to 30 lbs.	701111	51111 23723 W		CD - Polyester on 1.10" spacing	76mm - 137m - 10 PACK	63

REINFORCED TAPES

REINFORCED TAPES

REINFORCED TAPES

	STYLE	DESCRIPTION	DESCRIPTION WIDTHS TOP/BOTTOM PAPER WEIGHT COLORS BASIS REIN		BASIS REINFORCEMENT	ROLLS PER CASE	CASES PER	
			mm	lbs/lbs				PALLET
				70mm - 114m - 8 PACK	84			
					MD - (1-1-1-1) 75	70mm - 137m - 10 PACK	63	
	Medallion	Recommended uses: Two strip carton sealing (top & bottom), recycled cartons,	70 72	23/23	fiberalass on 13mm	70mm - 183m -10 PACK	60	
	Medallion	non-unitized loads, light to average weight carton up to 30 lbs.	72	25/23		CD- (1-1-1) Polyester	72mm - 500' -6 PACK	60
							76mm - 114m - 8 PACK	84
							76mm - 137m - 10 PACK	63
		Recommended uses: Two strip carton sealing (top & bottom), recycled cartons,		23/23	Natural White MD - (1-1-1-1-1) 110 fiberglass on 13mm spacing CD - (1-1-1) Polyester 1.10" spacing	MD - (1-1-1-1) 110	60mm - 137m - 12 PACK	63
	المعمعط		60			fiberglass on 13mm	70mm - 137m - 10 PACK	63
	Legend	non-unitized loads, light to average weight carton up to 25 lbs. Available for	70 72	25/23		CD - (1-1-1) Polyester	70mm - 152m - 6 PACK	84
		custom printing.				1.10" spacing	70mm - 183m- 10 PACK	60
						60mm - 137m - 12 PACK	63	
Venom	Recommended uses: Two strip carton sealing (top & bottom), recycled cartons,	70	20/22	Natural	MD - (1-1-1-1) 110 fiberglass	70mm -137m - 10 PACK	63	
	non-unitized loads, light weight cartons up to 24 lbs.	70	20/23	Natural CE	CD - (1-1-1) Polyester 1.10" spacing	70mm- 152m - 6 PACK	84	
					ino spacing	70mm - 183m - 10 PACK	60	



Add a QR Code to your custom print to promote any facet of your business! Custom Prints are available specific to end-user requirements (or our stock prints to enhance identification or messaging). These may include logos, designs, colors, text, etc. The Custom Print program enhances product offerings to the end-user that separates their product from the competition. We can turn around custom prints in as little as ten days in minimums as low as six cases. IPG's Graphics Department is more than willing to help design specific artwork for a customer.

DIAGONAL STRIPES

STYLE	GRADE	COLORS	WIDTH x LENGTH		ROLLS PER CASE	CASES PER PALLET	
SITLE	GRADE	COLORS	inches	feet	RULLS PER CASE	CAJLJ F LN FALLET	
K2137P050	#160 Medium Duty Paper	Red Stripes	2.5	600	12	60	
K2137P055	#160 Medium Duty Paper	Yellow Stripes	2.5	600	12	60	
K2137P058	#160 Medium Duty Paper	Orange Stripes	2.5	600	12	60	
K2137P057	#160 Medium Duty Paper	Bright Blue Stripes	2.5	600	12	60	
K2137P052	#160 Medium Duty Paper	Bright Green Stripes	2.5	600	12	60	
K2139P050	#160 Medium Duty Paper	Red Stripes	3	600	12	60	
K2139P055	#160 Medium Duty Paper	Yellow Stripes	3	600	12	60	
K2139P058	#160 Medium Duty Paper	Orange Stripes	3	600	12	60	
K2139P057	#160 Medium Duty Paper	Bright Blue Stripes	3	600	12	60	
K2139P052	#160 Medium Duty Paper	Bright Green Stripes	3	600	12	60	

STOCK DESIGNS

STYLE	CDADE	PRINTED MESSAGE	WIDTH x LENGTH			CASES PER PALLET
STYLE	GRADE		inches	feet	ROLLS PER CASE	CASES PER PALLET
K2485P001	#223 Reinforced	Stop - Caution	70mm	450	10	63
K7000P426	#240 Reinforced	Made in the USA	72mm	600	10	60
K2525P195	#260 Reinforced	Warning	3	600	10	60
K7000P508	#240 Reinforced	Warning	72mm	600	10	60
K2525P293	#260 Reinforced	Fragile	3	600	10	60
K2034P577	#140 Light Duty Paper	Safe Handling	1	600	30	63
K2036P185	#140 Light Duty Paper	Safe Handling	1.5	600	20	63
K2034P190	#140 Light Duty Paper	Not For Sale	1	600	30	63
K2034P191	#140 Light Duty Paper	Thank You	1	600	30	63
K2420P001	#270 Reinforced	Red Alert	3.18	600	10	60

PRINTED TAPES

SOLID COLORS

CTVI F	GRADE	COLORS	WIDTH x LENGTH			CASES PER PALLET
STYLE	GKADE		inches	feet	ROLLS PER CASE	CASES FER FALLET
K7450P144	#260 Reinforced	Red	3	450	10	63
K7453P795	#260 Reinforced	Green	3	450	10	63
K7453P797	#260 Reinforced	Yellow	3	450	10	63
K2763P001	#260 Reinforced	Bright Green	3	450	10	63
K2125P047	#160 Medium Duty Paper	Red	2.5	600	12	60
K2876P581	#160 Medium Duty Paper	Green	2.5	600	12	60
K2202P032	#160 Medium Duty Paper	Yellow	2.5	600	12	60
K2876P580	#160 Medium Duty Paper	Orange	2.5	600	12	60
K2799P615	#160 Medium Duty Paper	Pale Blue	2.5	600	12	60
K2800P756	#160 Medium Duty Paper	Red	3	600	10	60
K2867P624	#160 Medium Duty Paper	Green	3	600	10	60
K2867P621	#160 Medium Duty Paper	Yellow	3	600	10	60
K2867P623	#160 Medium Duty Paper	Orange	3	600	10	60
K2800P713	#160 Medium Duty Paper	Pale Blue	3	600	10	60

MADE IN THE

U.S.A.

NOUD TO BE AMERICAN

BOX MAKER'S TAPE



Box Maker's tapes are used to seal manufacturer's joints on corrugated cartons in a box-making factory. The products work well on recycled cartons, in addition to virgin board. Available in long length rolls, the Box Maker's tapes accommodate continuous application, work on small to large carton joints and improve productivity. All Purpose tape (281 Grade) is available in natural, and white colors.

Central has two grades of quality Box Maker's tapes:

- All Purpose 281 Grade
- Heavy Duty 283 Grade

Product specifications are available from your Packaging Specialist or IPG's Technical Service Department.

RED ALERT[®]

270 Red Alert* – Just what the doctor ordered to help prevent theft, pilferage and contamination!

FEATURES AND BENEFITS

- Bonds with corrugated cartons and offers the most secure adhesive tape closure system available in the market today
- Ideal for a variety of climate conditions
- Wide range of operating temperatures
 will consistently perform between 0°F and 120°F
- Ideal for:
- dusty environments
- corrugate with high post consumer contents
- corrugate that has previously been sealed and must be securely resealed





OVERSIZED







KRAFT COLORED





REINFORCED



CARTON SEALING

WATER-ACTIVATED CUSTOM PRINTABLE

WAT DISPENSERS

IPG[®] has developed machines that address all your previous unfulfilled needs in the market. Closing cartons with water-activated tapes has become faster and easier. Better Pack[®] is a leading brand in water-activated tape dispensers thanks to unmatched innovation, quality, design, and reliability. Interpack[™] is a brand of case sealers that can output high speeds, needs low maintenance, and possesses low cost.

WAT TABLE TOP DISPENSERS

Better Pack® 555e Series

- Highly Productive, Durable and UL Listed
- Created for fast-paced packaging environments where increased productivity, efficiency and carton sealing output is needed

Better Pack® 333 Plus

- World's #1 selling Manual WAT Tape Dispenser
- Perfect for light-to-medium -volume packaging areas and accommodates both reinforced and non-reinforced tapes



WAT CASE SEALER

RSA 2024-WAT (Random AUTO H2O® WAT Case Sealer)

- Designed to process different sized cases using industrial sized water-activated rolls
- Ergonomic and user-friendly operation
- Fast processing rate of 10-12 cases/min



DO IT RIGHT! FIRST TIME. EVERY TIME.





STRIP OF TAPE

(on top and bottom)

ONE


WATER-ACTIVATED TAPE

BETTER. Print a custom marketing message and/or QR code to drive your brand. FASTER. Only 1 strip is needed to secure each end of a box versus 2 or more strips of regular packing tape. STRONGER. Reinforced with crossing fibers and an adhesive that "welds" to corrugate boxes. Performs the same on high recycled content. Reduces shrink and pilferage.

itape

CORPORATE PROFILE

Intertape Polymer Group[®] Inc. (IPG[®]) is a recognized leader in the development, manufacture and sale of a variety of paper and film based pressure-sensitive and wateractivated tapes, stretch and shrink films, protective packaging, woven and non-woven products and packaging machinery for industrial and retail use. Headquartered in Montreal, Quebec and Sarasota, Florida, IPG employs approximately 4,200 employees with operations in 34 locations, including 22 manufacturing facilities in North America, five in Asia and two in Europe.





🖌 🖌 in 🖸 🞯

888-898-7834 | itape.com