# **113S** SINGLE LINER MED TACK MEDIA BLAST STENCIL – GERBER<sup>®</sup>

#### **DESCRIPTION**

High quality, durable, stencil coated with an advanced medium tack, rubber-based, pressure-sensitive adhesive protected by a clear polyester liner. Punched through rubber and liner in a Gerber<sup>®</sup> pattern cutters and is designed for use on polished granite or marble, primed/painted wood, and HDU foam-board.

#### **PRODUCT APPLICATIONS**

Protection of polished granite or marble, primed/painted wood, and HDU foam board during sandblasting, etching and carving processes.

#### **STANDARD SIZES**

15" x 10yd 30" x 10yd 30" x 20yd

## **STORAGE & SHELF LIFE**

Store new stock behind current stock. Store in a clean, dry place. Temperature of 70°F (21°C) +/- 6°F and 40% to 50% relative humidity are recommended. Shelf life is 12 months from date of manufacture.



intertape polymer group®

100 Paramount Drive, Suite 300 | Sarasota, FL 34232 | USA Customer Service: 800.IPG.8273 | 800.474.8273

Tape Technical Service: 877.447.4832

www.itape.com | info@itape.com

While we believe them to be reliable, the statements and information herein are only for general guidance and are not warrants or guarantees for accuracy and completeness. The user must, by test or otherwise, determine suitability for this purpose. There is no warranty of fitness for a particular purpose. Our standard term and conditions of sale apply exclusively to all orders, and all liability for dnamages of any kind, including consequential, exceeding purchase price is excluded. No one is authorized by us to make oral warranties. We reserve the right to make changes without notice or obligation in our products and publications.

EFFECTIVE: 2/23

# INTERTAPE POLYMER GROUP® TECHNICAL DATA SHEET

## **NOMINAL VALUES**

The following data are nominal values based on PSTC, ASTM and other standard tests. The data should not be considered as specifications.

Medium Tack / Rubber
42 (1.07mm)
4.5 (19.71 N/25mm)
45 (12.32 N/25mm)
300
Slot
Translucent

